SUBJECT INDEX

A

AccR protein, 158
Acetosyringone
  virulence-gene induction and, 161–62
Acidic protease
  INA and, 448
Acid rain
  dogwood anthracnose and, 66
Actin
  fungal cell wall and, 418
Adenophorean parasites, 235–36
Aeciospores, 4, 124
Aep regulon
  in *Erwinia carotovora*, 216–17
Aerobiology, 44
Aerolysin
  secretion by *Aeromonas salmonicida*, 225
Aeromonas
  Out proteins, 185
Aeromonas salmonicida
  aerolysin secretion, 225
Agricultural research centers international, 16–18
Agrobacterium
  conjugation
    regulatory signals, 216
  T-DNA transformation, 249
Agrobacterium rhizogenes
  root-inducing plasmid, 157
Agrobacterium tumefaciens
  regulation of virulence genes, 161–63
  T-complex and nuclear targeting, 166–67
  T-DNA processing, 164–66
  T-DNA targeting, 193–94
  T-DNA transfer, 163–68
  T-DNA transfer, conjugation, and protein secretion, 169–73
  tumor-inducing plasmid, 158–61
  VirA protein, 161–62
  VirB and VirD4 proteins, 167–68
  VirG protein, 162–63
  virulence system, 157–73
Agrochemical industry
  pesticide regulation and, 566–67
Agrocinopine A
  Ti plasmid and, 158
Agrocybe aergerita
  double-stranded RNAs, 122
Ainsworth GC, 21–25
Aiouea, 11
Alar, 548
Alfalfa
  systemic acquired resistance, 442
Alfalfa mosaic virus (AMV), 270
  genome organization, 294
  host resistance, 371
  pollen transmission, 375
  replication complexes, 316
Alkali
  viral infectivity and, 42
Alkaline phosphatase, 222
Alkaline protease
  secretion by *Pseudomonas aeruginosa*, 224–25
Alliaria petiolata
  ash yellows and, 55
Alphaviruses, 304, 313
American beech, 75
American Cocoa Research Institute, 15
American elm, 4–5
Aminoacylation
  plant viral RNAs and, 290–91
Aminoacyl tRNA synthetase
  plant viral RNAs and, 289
Ammonium
  nitrosophenylhydroxylamine (Cupferon)
  fungistatic activity, 6
AMV
  See Alfalfa mosaic virus
Anastomosis
  hyphal
    in basidiomycetes, 138
Anastomosis groups
  in *Rhizoctonia*, 136–39
Anguillulina, 29
Anthracnose disease, 61–69
  causal agent, 466
  environmental/topographic influences, 65–67
  host range, 62
  impact, 63
  management in ornamental and forest sites, 67–68
  pathogen, 63–65
  search for resistance, 69
  symptoms, 62–63
Anthrax bacillus, 24
Aphelenchus, 29
Aphids
  closterovirus transmission and, 264
Arabidopsis
  gene cloning and, 495
  phytoalexins, 496
  systemic acquired resistance, 448
  systemic acquired resistance gene, 443
Arabidopsis thaliana, 239
  systemic acquired resistance, 441
Arabinose
  virulence-gene induction and, 162
Arabis mosaic nepovirus (ArMV), 375
Armillaria, 83
ArMV
  See Arabis mosaic nepovirus
Arteriviruses, 278–79
Ascomycetes
  cell wall architecture, 415
Ascospores, 91
Asexual reproduction
  plant-pathogen interactions and, 98–101
Ash decline
  ash yellows and, 56–57
Ash yellows (AshY), 49–58
  ash decline and, 56–57
  diagnosis, 54–55
  disease management, 57–58
  distribution and host range, 49–50
  epidemiology, 55–56
  mycoplasmalike organisms, 53
  symptoms, 50–53
Ash yellows cluster, 53
Aspartic acid
  Phytophthora cinnamomi zoospores and, 8
Aspartyl proteinases
  retroviral, 266
Aspergillus fumigatus, 430
Aspergillus nidulans, 471
  hydrophobin genes, 426–27
  RodA protein, 425
Asterina, 22
Atkinson HJ, 235–54
Aurelia auita, 28
Autoradiography
  fungal cell wall and, 416
  plant viral RNA synthesis and, 312–13
Avenacin
  detoxification by *Gaeumannomyces graminis*, 472–73

Avocado, 7–11
Avr proteins, 196–97

B

Bacillus subtilis
  comG operon, 167
  systemic acquired resistance and, 451
Bacillus thuringiensis
  anti-nematode activity, 250
Bacteria
  plant-pathogenic
    protein secretion pathways, 182
    virulence factor secretion, 181–97
Bacteriocin, 202, 214
Bacteriophage M13
  pIV protein, 188
Bacteriophage Qβ
  RNA-dependent RNA polymerase, 305
  satellite RNAs, 338
Banana
  sigatoka disease, 534
Banksia, 14
Bark beetle, 4
Bark epiphytes
  beech scale and, 80
Barley
  Erysiphe graminis f.sp. *hordei* and, 91–92
  local acquired resistance, 442, 445
  systemic acquired resistance, 451
Barley mildew
  population genetics, 89–109
Barley stripe mosaic hordeivirus (BSMV), 342
  host resistance, 371
  pollen transmission, 375
  seed transmission, 364–65, 368
  transport, 404
Barley yellow mosaic virus (BaYMV), 340
Barnase, 252–53
Barnes, L. W, 601–9
Barras, F, 201–27
Barstar, 252–53
Basidiomycetes
  cell wall architecture, 415
  heterothallic
    mating compatibility, 146
  hyphal anastomosis, 138
Basidiospores, 124, 146
Bawden FC, 39–46
BaYMV
  See Barley yellow mosaic virus
BBD
  See Beech bark disease
BBTMV
  See Broad bean true mosaic virus
BCMV
  See Bean common mosaic potyvirus
BDMV
  See Bean dwarf mosaic geminivirus
Bean common mosaic potyvirus (BCMV)
  pollen transmission, 375
  seed transmission, 366
Bean dwarf mosaic geminivirus (BDMV)
  movement protein, 394–95
Bean endochitinase, 481
Bean rust, 441
Beech bark disease (BBD), 75–84
  effects, 83–84
  fungal epiphytotics, 80–84
  host resistance, 79
  insect epizootic, 76–80
Beech scale
  bark epiphytes and, 80
  dispersal and establishment within forest stands, 77–79
  dispersal in North America, 76–77
  establishment on individual trees, 79–80
  insect predators, 80
Beech scale insect, 75
Beet necrotic yellow vein virus, 305
Beet western yellows virus (BWYV), 341, 402
Beet yellow stunt virus (BYSV), 266
Beet yellows virus (BYV), 264–66
  capsid proteins, 274–75
  mode of transmission, 264
Begonia
  systemic acquired resistance, 440
Beijersbergen AGM, 157–73
Beilschmedia, 11
Benomyl
  restriction in Europe, 560–61
Benzoic acid
  Dutch elm disease and, 5
Benzoic acid derivatives
  systemic acquired resistance and, 445
Berberis vulgaris
  ash yellows and, 55
Biocontrol, 539
B-ionone, 444
Biotechnology
  plant disease diagnosis and, 603
  plant disease management and, 554
Blackgram mottle carmovirus
  seed transmission, 366
Black shank disease, 443
Blue mold, 440–41, 443, 507
BMV
  See Brome mosaic virus
Bordetella pertussis
  pertussis toxin secretion, 194
Botrytis cinerea, 23, 440, 567
Bovine viral diarrhea virus
  ubiquitin coding sequences, 338
Brassica, 443
Brightfield microscopy
  mycoplasmalike organisms and, 54
Broad bean mottle virus, 345–46
Broad bean rust fungus, 463
Broad bean true mosaic virus (BBTMV)
  seed transmission, 366
Brome mosaic virus (BMV), 287–89
  asymmetric replication of RNAs, 297–98
  coat protein, 404
  genome organization, 288
  plus-strand initiation, 304–5
  pseudoknot region, 292–93
  RNA-dependent RNA polymerase, 322–24
  RNA recombination, 342
    mechanisms, 345–51
Brome rust, 24
Bromoviruses, 270
  defective interfering RNAs, 345
  RNA components, 346
BSMV
  See Barley stripe mosaic hordeivirus
Bujarski JJ, 337–57
Bunyaviruses
  defective interfering RNAs, 345
BWYV
  See Beet western yellows virus
Bymoviruses, 340
BYSV
  See Beet yellow stunt virus
BYV
  See Beet yellows virus

C

Cacao, 7
Cacao black pod, 14–16
Calcium
  plant defense response and, 486–87

Calmodulin
plant defense response and, 486–87
Cancer
pesticides and, 552
Candida albicans, 430
CAP
See Catabolite activator protein; Common Agricultural Policy
Capsella bursa-pastoris
beet western yellows luteovirus infection, 402
Capsid proteins
of closteroviruses, 274–75
Carlaviruses, 42, 263, 279
Carmoviruses, 341
defective interfering RNAs, 345
CarMV
See Carnation mottle virus
Carnation mottle virus (CarMV), 341
Carnation necrotic fleck virus (CNFV), 273
Carrot
ash yellow mycoplasmalike organisms and, 50
defense response, 489–90
Castanea sativa, 581
Castor bean
phloem sap
protein trafficking and, 397
Casuarina, 14
Catabolite activator protein (CAP), 220
Catharanthus roseus, 50
CCCA
See Cocoa, Chocolate, and Confectionary Alliance
CCMV
See Cowpea chlorotic mottle virus
CCSV
See Cucumber chlorotic spot virus
CE
See Council of Europe
CEC
See Commission of European Community
Celastrus
ash yellows and, 55
Cellulases, 209
Discula destructiva and, 64
periplasmic form, 185
plant cell wall and, 202
secretion in *Erwinia*, 183–90
Cellulomonas uda, 206
Center of International Forestry Research, 18
Centro International de Agricultura Tropical (CIAT), 18
Cephaleuros virescens, 22
CEQ
See Council on Environmental Quality
Ceratobasidium, 136
Ceratobasidium cereale, 143
Ceratobasidium cornigerum, 143
Ceratocystis fagacearum, 526
Ceratocystis ulmi, 4
Cerato-ulmin, 425, 429–30
Cereal crops
fungicide use needs, 551
Cereal eyespot disease, 44
Cereal powdery mildews, 44
Cereal rust, 39
Certified Professional Plant Pathology program, 608
CGA 41396
systemic acquired resistance and, 447–49
CGIAR
See Consultative Group for International Agricultural Research
Chalcone synthase, 485
Chaperones
molecular
in closteroviruses, 273–74
Chatterjee AK, 201–27
Chelation
Dutch elm disease and, 6
Chemical pesticides
systemic acquired resistance and, 446–47
Chemotaxis
Phytophtora cinnamomi and, 7–8
Chemotherapy
Dutch elm disease and, 5–6
Chemotropism
Phytophthora cinnamomi and, 8
Chenopodium amaranticolor
cowpea mosaic virus and, 317
Chenopodium hybridum, 343
brome mosaic virus and, 294–95
Chenopodium quinoa, 327, 343, 350
Cherry leafroll nepovirus (CLRV)
pollen transmission, 375
Chestnut blight, 4, 116, 269, 507
biological control in Europe, 581–94
development
hypovirulence and, 588–91
dissemination, 582–83
hypovirulence, 584–86
natural, 586–87
Chestnut-blight fungus, 429
Chestnut-blight pathogen, 65
Chicory leaf, 211
Chilocorus stigma, 80
Chitin
in fungal cell wall, 415–16
synthesis, 418
Chitinase, 211
INA and, 448
systemic acquired resistance and, 442
Chitin synthase
properties, 417
Chitosan, 415
Chlorothalonil, 567
dogwood anthracnose and, 68
Chondrostereum purpureum, 539
Chrysobactin, 213
CIAT
See Centro International de Agricultura Tropical
Cinnamon tree stripe canker, 7
Cinnamonum burmanii, 7
Citrus tristeza virus (CTV), 266–67
capsid proteins, 274–75
mode of transmission, 264
Cladosporium cucumerinum, 441
Cladosporium fulvum
hypersensitive response and, 481
intercellular growth, 462
Clean Water Act, 549
Clear Air Act, 549
Closteroviruses, 261–81
capsid proteins, 274–75
cytopathology, 264
expression of internal ORFs, 269–70
expression mechanisms, 268–70
genome organization, 264–68
core module, 270–72
evolution, 270–81
modular organization, 270
leader proteinase, 269
mode of transmission, 264
molecular chaperones, 273–74
particle morphology, 261–64
translational frameshift, 268–69
Clover stem nematode, 29–30
CMV
See Cucumber mosaic virus
CNFV
See Carnation necrotic fleck virus
Coccinellid beetle
beech scale and, 80
Cochliobolus carbonum
endo-galacturonase gene, 423
pathogenicity, 468
HC-toxin and, 470

Cochliobolus heterostrophus
pathogenicity, 462, 471
T-toxin and, 469–70
Cocoa, Chocolate, and Confectionary Alliance (CCCA), 15
Cocoa Research Institute (Brazil), 15
Cocoa swollen shoot disease, 45
Coevolution
plant-pathogen interactions and, 107–9
Coffee rust, 22–25
Coleosporium solidaginis
virus-like particles, 117
Collagenases
root-parasitic nematodes and, 250
Colletotrichum gloeosporioides, 61
cutinase-deficient mutants, 467
Colletotrichum graminicula
attachment to plant surface, 463
Colletotrichum lagenarium, 441, 443
cutinase-deficient mutants, 467
pathogenicity
melanin production and, 465–66
Colletotrichum lindemuthianum, 441
Commission of European Community (CEC), 562
Common Agricultural Policy (CAP), 572
Conidiospores, 427
Coniferin, 161
Coniferyl alcohol
virulence genes and, 161
Conservation Reserve Program (CRP), 573
Consultative Group for International Agricultural Research (CGIAR), 18
Cornus alternifolia, 62
Cornus amomum, 62
Cornus canadensis, 62
Cornus controversa, 62
Cornus florida, 61–69
Cornus kousa, 61–69
Cornus kousa var. *chinensis*, 62
Cornus mas, 62
Cornus nuttallii, 61–69
Cornus racemosa, 62
Cornus sericea, 62
Coronaviruses, 278–79, 340
Council of Europe (CE), 563
Council on Environmental Quality (CEQ), 549
Cowpea chlorotic mottle virus (CCMV), 292
aminoacylatable RNA, 303
host resistance, 402
RNA recombination, 342
seed transmission, 366
Cowpea mosaic virus (CPMV)
bipartite genome, 320
movement protein, 398–99
replication complexes, 317
RNA-dependent RNA polymerase, 319–21
structures in infected cells, 313
3′ nontranslated regions, 293
Cowpea trypsin inhibitor (CpTI)
root-parasitic nematodes and, 250
CPMV
See Cowpea mosaic virus
CpTI
See Cowpea trypsin inhibitor
Criconemella
feeding behavior, 238
Criconemella xenoplax
feeding behavior, 238
feeding sites and structures, 237
Cronartium ribicola, 3–4
Crown gall, 157
CRP
See Conservation Reserve Program
Crustose lichens
beech scale and, 80
Cryparin, 425, 429–30
Cryphodera utahensis
feeding sites and structures, 237
Cryphonectria parasitica
double-stranded RNAs, 116, 122
Cryphonectria parasitica, 65, 429, 581
dissemination, 582–83
double-stranded RNA, 584–86
hypovirulence, 584–86
disease development and, 588–91
field application, 591–93
Cryptococcus fagisuga, 76, 78
Cryptococcus fagisuga Lind, 75
CTV
See Citrus tristeza virus
Cubeta MA, 135–50
Cucmber mosaic virus (CMV)
RNA-dependent RNA polymerase, 325–27
Cucumber
systemic acquired resistance, 441, 446
systemic acquired resistance gene, 443
Cucumber anthracnose
causal agent, 466
Cucumber chlorotic spot virus (CCSV), 273
Cucumber mosaic virus (CMV), 292
aminoacylatable RNA, 303
replication complexes, 313, 316–17
seed transmission, 364–65, 372, 377
Cucumber virus 3, 41
Cucumoviruses, 270
replication complexes, 313
Cupferon
See Ammonium nitrosophenylhydroxylamine
Cutinases, 423
fungal attachment to plant surface and, 463
fungal pathogenicity and, 466–68
Cyanide
detoxification by *Gloeocercospora sorghi*, 471–72
N-Cyanomethyl-2-chloroisonicotinamide
rice blast disease and, 449
Cyclic AMP
plant defense response and, 488–89
Cylindrocarpon candidium (Link) Wollenw, 81
Cylindrocarpon faginatum Booth, 81

D

DAF
See DNA amplification fingerprinting
DAPI (4′,6-diamidino-2-phenylindole 2HCl) test
mycoplasmalike organisms and, 54
Daucus carota, 50
Daughtrey ML, 61–69
DCP
See 2,2-Dichloro-3,3-dimethylcyclopropane carboxylic acid
Decline, 49
DED
See Dutch elm disease
De Graaf M, 311–32
Delaney Amendment, 549
Delaney Clause, 552
Depolymerizing enzymes
extracellular
in *Erwinia*, 202–10
pathogenicity and, 210–11
Deterministic stochasticity, 535
DHN
See 1,8-Dihydroxynaphthalene

Dianthoviruses, 340–41
-1 frameshifting, 268–69
2,2-Dichloro-3,3-dimethylcyclopropane carboxylic acid (DCP)
systemic acquired resistance and, 449–50
2,6-Dichloroisonicotinic acid
systemic acquired resistance and, 447–49
Dickinson MJ, 115–31
Dicots
systemic acquired resistance, 442–44
Dieback, 49
Dienes' stain
mycoplasmalike organisms and, 54
1,8-Dihydroxynaphthalene (DHN)
fungal pathogenicity and, 465–66
2,5-Diketo-3-deoxygluconate, 217
Discula, 61–62
Discula destructiva Red, 62–69
Dixon RA, 479–96
DL-3-amino-n-butanoic acid
systemic acquired resistance and, 451
DNA
plant-pathogen interactions and, 93
DNA amplification fingerprinting (DAF)
Discula destructiva and, 65
DNA/DNA hybridization, 216
intersterility barriers in fungi and, 137
Rhizoctonia solani complex and, 140–41
DNA fingerprinting
Phytophthora infestans and, 13
plant-pathogen interactions and, 106
DNA hybridization
ash yellows cluster and, 53
DNA polymorphism
randomly amplified *Rhizoctonia solani* complex and, 142–43
DNA probes
mycoplasmalike organisms and, 54–55
Dogwood anthracnose, 61–69
environmental/topographic influences, 65–67
host range, 62
impact, 63
management in ornamental and forest sites, 67–68
pathogen, 63–65
search for resistance, 69
symptoms, 62–63
Dolja VV, 261–81
Double-stranded RNA (dsRNA)
asexual transmission, 126–27
assays, 117–18
hypovirulence and, 148–49, 584–86
infectivity, 127
in *Melampsora* rusts, 123–29
organization in rusts, 120
in phytopathogenic fungi, 116–17
in *Puccinia*, 120–23
in rust fungi, 115–31
sexual transmission, 124–26
transmission, 585
Double-stranded RNA viruses, 115
cellular location, 123
hypovirulence-associated, 269
Downy mildew, 451
dsRNA
See Double-stranded RNA
Duggal, R, 287–306
Dutch elm disease (DED), 1, 4–6, 116, 429
chelation and, 6
chemotherapy and, 5–6
fungal toxin and, 465
Dutch Multi-Year Crop Protection Plan, 561

E

Eastern white pine, 3–4
Ecto-endoparasites
migratory
feeding behavior, 238
feeding sites and structures, 237
Ectoparasites, 236
migratory, 236–38
feeding sites and structures, 237
sedentary
feeding behavior, 238
feeding sites and structures, 237
EDTA
See Ethylenediaminetetraacetic acid
Education
plant disease clinics and, 604–9
Edwards MC, 363–82
EEPO
See European and Mediterranean Plant Protection Organization
Elastase, 222, 225
Electron microscopy
plant viral RNA synthesis and, 312–13
primary plasmodesmata and, 392
Elicitin proteins, 482
Elongation factor 1-α
plant viral RNAs and, 289
Encephalomyocarditis virus, 303
Encounter models, 525–26
Endangered Species Act, 549
Endoparasites, 236
migratory
feeding behavior, 239
feeding sites and structures, 237
sedentary
feeding behavior, 239–40
feeding sites and structures, 237
host responses, 242–44
Endothia parasitica, 507
Enterobactin, 213
Entyloma ranunculi, 23
Environmental factors
dogwood anthracnose and, 65–67
Environmental Protection Agency (EPA), 549
Enzymes
extracellular depolymerizing in *Erwinia*, 202–10
pathogenicity and, 210–11
EPA
See Environmental Protection Agency
EPIMUL, 508–9
Erwinia
Hrp system, 190–93
hypoxic stress and, 227
pectinase and cellulase secretion, 183–90
soft-rot, 201–27
protein secretion and, 221–26
signal exchange and, 211–13
type II secretory apparatus genes, 186–90
Erwinia amylovora
harpins, 192–93, 226–27, 482
hrp genes, 191
necrogenic response/nonhost resistance and, 202
Erwinia carotovora
Aep regulon, 216–17
extracellular depolymerizing enzymes, 202–10
harpins, 227
motility and successful infection, 202
Pnl synthesis as stress response, 214–15
protein secretion machinery, 221–26
signaling systems, 215–16
soft-rot elicited, 202
virulence-factor secretion, 183

virulence-factor synthesis, 196–97
Erwinia chrysanthemi
amino acid sequences of PelE and PelC enzymes, 207
extracellular depolymerizing enzymes, 202–10
harpins, 227
iron metabolism, 213–14
KdgR regulon, 217–19
lipopolysaccharide and iron uptake systems, 202
out-gene regulation, 189–90
PecS/PecM system, 219
pectolytic enzymes, 468
protease secretion, 182–83
protein secretion machinery, 221–26
soft-rot elicited, 202
virulence-factor secretion, 183
Erwinia herbicola
antibiotic, pigment, and bacteriocin production and, 202
ascorbic acid synthesis and, 202
ice nucleation and, 202
Erwinia stewartii
polysaccharide production/plant wilting and, 202
Erysiphe betae, 507
Erysiphe graminis
spatial spread, 534
Erysiphe graminis f.sp. *hordei*, 442
population biology, 91–92
Erysiphe graminis f.sp. *tritici*, 99
Erysiphe graminis-Hordeum vulgare pathosystem, 89–109
Escherichia coli, 201–2
hemolysin secretion system, 221
viral movement proteins and, 394
Esterases
fungal attachment to plant surface and, 463
Ethephon
systemic acquired resistance and, 450
Ethylenebisdithiocarbamates
restriction in Europe, 560
Ethylenediaminetetraacetic acid (EDTA)
fungistatic activity, 6
Eucalyptus marginate, 13–14
Eupatorium
ash yellows and, 55
Europe
restricted fungicides, 559–76
European and Mediterranean Plant Protection Organization (EPPO), 583
European beech, 75
Exocytosis
nematode secretion and, 240–41
Exopolygalacturonase, 186
Exotoxin A, 222, 225

F

Fagus grandifolia, 78
Fagus grandifolia Ehrh, 75
Fagus sylvatica, 82
Fagus sylvatica L, 75
FAO
See Food and Agriculture Organization
Fatty acids
systemic acquired resistance and, 444, 451
FDA
See Food and Drug Administration
Federal Environmental Pesticides Control Act (FEPCA), 549
Federal Food, Drug, and Cosmetic Act (FFDCA), 548
Federal Insecticide, Fungicide, Rodenticide Act (FIFRA), 548
Federal Pest Control Review Board, 549
FEPCA
See Federal Environmental Pesticides Control Act
Ferric citrate, 213
Ferrichrome, 213
Ferulic acid
virulence genes and, 161
FFDCA
See Federal Food, Drug, and Cosmetic Act
Field crops
fungicide use needs, 551
FIFRA
See Federal Insecticide, Fungicide, Rodenticide Act
Flagella
assembly
Hrp homologs and, 193
Flax rust, 118–19, 122
Flockhouse virus
replication complexes, 317
Flower development
virus infection and, 374–75
Flowering dogwood, 61
Focal first-order epidemics, 506
Focal second-order epidemics, 507
Foci, 503–18
dispersive waves, 514–15
mathematical models, 510–13
traveling waves, 513–14
Foliose lichens
beech scale and, 80
Food, Agriculture, Conservation, and Trade Act, 553
Food and Agriculture Organization (FAO), 18, 563
Food and Drug Administration (FDA), 548
Food cells
of sedentary endoparasites, 242
Food safety
fungicides and, 552, 571–72
Foot rot of pea
causal agent, 466
Ford Foundation, 17–18
Forest pathology, 3–6
Fosethyl-Al
systemic acquired resistance and, 449
Foxtail mosaic potexvirus
replication complexes, 327
France
pesticide regulation, 561–62
Fraxinus, 49
Fraxinus americana, 50
Fraxinus angustifolia, 50
Fraxinus berlandierana
witches'-brooms, 50
Fraxinus bungeana, 50
Fraxinus excelsior, 50
Fraxinus latifolia, 50
Fraxinus nigra, 50
Fraxinus ornus, 50
Fraxinus pennsylvanica
witches'-brooms, 50
Fraxinus potamophila, 50
Fraxinus profunda, 50
Fraxinus quadrangulata, 50
Fraxinus velutina, 50
Fruit crops
fungicide use needs, 551
Fungal cell wall, 413–30
architecture, 415–16
assembly at apex, 421–22
biochemistry, 415–17
biogenesis in relation to morphogenesis, 418–23
hydrophobins and, 423–30
passage of proteins at apex, 422–23
polarized activity of cytoplasm, 418–20
synthetic enzymes, 416–17
turgor and, 420–21
Fungal pathogenicity, 461–75
attachment to plant surface, 463–64
colonization of host tissue, 469–72
germination and formation of infection structures, 464–65
penetration into host, 465–68
Fungal pathogens, 44
Fungal virulence

double-stranded RNAs and, 116
Fungi
double-stranded RNAs, 115
intersterility barriers, 137
toxin production, 469–70
Fungicide resistance
Erysiphe graminis f.sp. *hordei* and, 93
Fungicides
decreased availability in United States, 545–55
dogwood anthracnose and, 68
food safety and, 552, 571–72
regulation in Europe, 560–65
systemic acquired resistance and, 446
Furoviruses
defective interfering RNAs, 345
protease gene, 339

G

Gaeumannomyces graminis
avenacin detoxification, 472–73
Gaeumannomyces graminis virus, 115
Galactose
virulence-gene induction and, 162
Galacturonic acid
virulence-gene induction and, 162
Gas chromatography
plant disease diagnosis and, 603
GATT
See General Agreement on Tariffs and Trade
Gene cloning, 210, 216, 495
Gene expression analysis
root-parasitic nematodes and, 247–48
Gene flow
plant-pathogen interactions and, 104–6
Gene pool
plant-pathogen interactions and, 93
General Agreement on Tariffs and Trade (GATT), 572
Genetic colonization, 158
Genetic drift
plant-pathogen interactions and, 102–4
Genetic engineering
plant-parasitic nematodes and, 249–53
Genetic linkage
plant-pathogen interactions and, 102
Genetic probes
plant disease diagnosis and, 603
Genetic variation
plant-pathogen interactions and, 93
Geranium
ash yellows and, 55
Germany
pesticide regulation, 561
Giant cells
multinucleate
of sedentary endoparasites, 244
uninucleate
of sedentary endoparasites, 242–43
Gilbertson RL, 387–407
Ginger-beer plant, 23
Gloeocercospora sorghi
cyanide detoxification, 471–72
Gloeosporium corni, 61
Glucan
in fungal cell wall, 415–16
synthesis, 418
β-Glucanase, 211
β-1,3-Glucanase
INA and, 448
systemic acquired resistance and, 442–43
Glucose
virulence-gene induction and, 162
Glucose phosphate isomerase, 164
Glucosyltransferase
fungal cell wall and, 416
Glucuronic acid
virulence-gene induction and, 162
Glutamic acid
Phytophthora cinnamomi zoospores and, 8
Glutathione
plant defense response and, 485–86
Glyceollin, 485
plant defense responses to nematodes and, 246
Glycuronan
in fungal cell wall, 415
Glyphosate
fosethyl-Al and, 449
Goodey, T, 27–33
G-proteins
plant defense response and, 490–91
Gracilacus
feeding behavior, 238
Green ash
mycoplasmalike-organism infection and, 52–53
witches'-brooms, 50
Green bean
systemic acquired resistance, 441, 444
Green wave effect, 565–66
Griffiths HM, 49–58
Gullino ML, 559–76
Gymnosperms
coniferin, 161
Gymnosporagium, 120

H

Hairy root disease, 157
Hall TC, 287–306
Hampton RO, 363–82
Harpins, 226–27, 482
translocation through type III pathway, 192–93
Harrison BD, 39–46
Harrison MJ, 479–96
Heiniger U, 581–94
Helicobasidium purpureum, 503
Helicotylenchus
feeding sites and structures, 237
Helicotylenchus dihystera
feeding behavior, 238
Helicotylenchus varicaudatus
feeding behavior, 238
Helminthosporium victoriae
virulence
double-stranded RNA viruses and, 116
Hemicellulases
Discula destructiva and, 64
Hemolysin
secretion system in *Escherichia coli*, 221
Herzog, J, 439–52
Heterocampa guttivita (Wlkr.), 83
Heterodera, 29
feeding sites and structures, 237
syncytia induced, 243
Heterodera glycines
monoclonal antibodies, 251
subventral glands, 241
Heterodera schachtii
feeding behavior, 239, 243, 245
Hevea brasiliensis, 535
Hibben CR, 61–69
Hippodamia convergens Guer, 64
Hitchhiking, 99
HMGR
See Hydroxy-methyl-glutaryl CoA reductase
Hofmann, C, 439–52
N-(3-oxohexanoyl)Homoserine lactone (HSL)
signaling systems in pathogenic bacteria and, 215–16
Hooper DJ, 27–33
Hooykaas PJJ, 157–73

Hops
  fungicide use needs, 551
Hordeiviruses
  defective interfering RNAs, 345
Host resistance
  beech bark disease and, 79
Host selection
  barley mildew and, 95
Houston DR, 75–84
HR
  See Hypersensitive response
HSL
  See N-(3-oxohexanoyl)Homoserine lactone
Hydrogen peroxide
  plant defense response and, 484–86
13 (S)-Hydroperoxylinolenic acid
  tomato proteinase inhibitor genes and, 491
Hydrophobins, 423–30
  adhesion and pathogenesis, 428–30
  aerial structures in fungi and, 465
  properties, 423–26
Hydroquinone
  Dutch elm disease and, 5
4-Hydroxy-3-(3′-methyl-2′-butenyl) benzoic acid, 64
Hydroxy-methyl-glutaryl CoA reductase (HMGR)
  sterol synthesis and, 248
8-Hydroxyquinoline sulfate
  Dutch elm disease and, 5–6
Hylurgopinus rufipes, 4
Hypersensitive response (HR), 190–91, 479
  elicitation and, 480
  See also Plant defense response
Hyphal anastomosis
  in basidiomycetes, 138
Hypovirulence, 584–86
  disease development and, 588–91
  field application, 591–93
  natural, 586–87
Hypoxic stress
  plant defense systems and, 227

I

IARCs
  See International Agricultural Research Centers
IITA
  See International Institute of Tropical Agriculture
Immunofluorescence microscopy
  mycoplasmalike organisms and, 54
Immunogold labeling
  plant viral RNA synthesis and, 312–13
Indole acetic acid
  production, 157
Influenza virus, 338
Inorganic salts
  systemic acquired resistance and, 451
Institute of Agricultural Parasitology, 29–30
Integrated pest management (IPM), 554, 607
International Agricultural Research Centers (IARCs), 16–18
International Cocoa Research Conference, 16
International Institute of Tropical Agriculture (IITA), 18
International Maize and Wheat Improvement Center (CIMMYT), 17
International Rice Research Institute (IRRI), 17
IPM
  See Integrated pest management
Iron
  metabolism in *Erwinia chrysanthemi*, 213–14
  uptake systems in *Erwinia*, 202
IRRI
  See International Rice Research Institute
Irrigation
  dogwood anthracnose and, 67
Isopath, 504–5
Isopentenyl-AMP
  production, 157
Isospore, 504
Isozymes
  Rhizoctonia solani complex and, 143
Italy
  pesticide regulation, 561

J

JA
  See Jasmonic acid
Japanese dogwood, 61
Jarrah dieback, 13–14
Jarrah eucalyptus, 13–14
Jasmonic acid (JA)
  plant defense response and, 491–92
  systemic acquired resistance and, 450–51
Jaspars EMJ, 311–32
Johansen E, 363–82

K

Karasev AV, 261–81
KdgR regulon
  in *Erwinia chrysanthemi*, 217–19
Kessmann, H, 439–52
2-Keto-3-deoxygluconate, 217
5-Keto-4-deoxyuronate, 217
King Edward potato plant, 42
Klebsiella oxytoca
  pulE gene
    pullulanase protein export and, 173
  pullulanase secretion, 186
  Pul system, 189, 222
Koonin EV, 261–81
Kuijpers LAM, 559–76

L

Lactones
  plant-pathogen communication and, 196–97
Lactuca sativa, 373
La France disease, 116, 122
Lahser FC, 287–306
Lamb CJ, 479–96
LAR
  See Local acquired resistance
Leaf development
  plasmodesmata formation and, 389–93
Leafhoppers
  mycoplasmalike-organism transmission and, 56
Leaf tissues
  viral transport plasmodesmata and, 387–407
Lecanora conizaeoides, 80
Lettuce infectious yellows virus (LIYV), 267–68
  capsid proteins, 275
Lettuce mosaic potyvirus (LMV)
  seed transmission, 365
Leucinopine agrobacteria, 157
Lichens
  beech scale and, 80
Life-histories
  stochastic models and, 526
Light exposure
  dogwood anthracnose and, 65–66
Lignin, 211
  plant defense responses to nematodes and, 246
  synthesis
    vanadate and, 483–84
Lilac
  decline-type disease, 50
Lilac witches'-broom, 50, 53
Lilium longiflorum, 208

Lily disease, 23
Linkage disequilibrium, 99
Linkage equilibrium
  wheat mildew pathogen and, 99
Linolenic acid
  systemic acquired resistance and, 450
  tomato proteinase inhibitor genes and, 491
Linum marginale, 119, 124
Linum usitatissimum
  double-stranded RNAs, 123–24
Lipopolysaccharide (LPS)
  protease secretion and, 183
  systemic acquired resistance and, 452
  uptake systems in *Erwinia*, 202
Lipoxygenase
  probenazole and, 450
Litigation
  pesticide availability and, 550
LIYV
  See Lettuce infectious yellows virus
LMV
  See Lettuce mosaic potyvirus
Local acquired resistance (LAR), 440
Lolium perenne, 238
Longidorus
  feeding behavior, 237–38
Longidorus elongatus, 238
  feeding sites and structures, 237
LPS
  See Lipopolysaccharide
Lucas WJ, 387–407
Luteoviruses
  -1 frameshifting, 268–69
  RNA recombination, 340
Lycopersicon esculentum, 208
Lysine
  systemic acquired resistance and, 451

M

Macerating disease, 202
Macromolecules
  plasmodesmal transport, 393–99
Maetzke, T, 439–52
Magnaporthe grisea, 421
  adhesion, 428
  cutinase gene, 423
  pathogenicity
    melanin production and, 465–66
  rice blast disease and, 464–65
Maize
  fungal pathogen, 462
Maize chlorotic mottle virus (MCMV)
  seed transmission, 365
Maize dwarf mosaic potyvirus (MDMV)
  seed transmission, 365–66
Mancozeb
  dogwood anthracnose and, 68
Mancozeb plus thiophanate-methyl
  dogwood anthracnose and, 68
Manduca sexta, 441
Master Gardener program, 605–6
McDermott JM, 89–109
MCMV
  See Maize chlorotic mottle virus
MDMV
  See Maize dwarf mosaic potyvirus
Meadow spittlebugs
  mycoplasmalike-organism transmission and, 56
Medicago truncatula
  isoflavonoid pathway, 496
Melampsora lini
  double-stranded RNAs, 118–19, 122, 123–29
Melanins
  fungal, 465–66
Meliola, 22
Meloidogyne
  feeding sites and structures, 237
  feeding tubes, 244
Meloidogyne incognita
  egg production suppression, 250
  feeding behavior, 240
  monoclonal antibodies, 251
  proton pump and, 245
  secretions, 241–42
Mengovirus, 303
Metalaxyl
  blue mold and, 441
  systemic acquired resistance and, 449
Metarhizium anisopliae, 428
Methyl bromide
  stem nematodes and, 30
Microautoradiography
  chitin/glucan synthesis and, 418
Micrococcal nuclease
  viral replication complexes and, 317
Microtubules
  fungal cell wall and, 418
Migration
  plant-pathogen interactions and, 104–6
Migratory ecto-endoparasites
  feeding behavior, 238
  feeding sites and structures, 237
Migratory ectoparasites, 236–38
  feeding sites and structures, 237
Migratory endoparasites
  feeding behavior, 239
  feeding sites and structures, 237
Miller Pesticide Control Amendment, 548
Mirabilis japala
  ribosome-inactivating proteins, 373
Mitomycin C
  pectin lyase production and, 214
MLOs
  See Mycoplasmalike organisms
Molecular biology
  plant disease diagnosis and, 603
Molecular chaperones
  in closteroviruses, 273–74
Molecular systematics
  of *Rhizoctonia*, 139–45
Monoclonal antibodies
  anti-nematode, 251
  nematode secretory granules and, 241–42
Monocots
  systemic acquired resistance, 444–45
Monte Carlo simulation
  plant pathology and, 529–30
Mosses
  beech scale and, 80
Mrak Commission, 549
Mushroom
  La France disease, 116, 122
Mushroom crops
  fungicide use needs, 551
Muskmelon
  systemic acquired resistance, 441
Mutation
  plant-pathogen interactions and, 92
Mycoidea parasitica, 22
Mycoplasmalike organisms (MLOs), 49–58
  ash yellows, 53
Mycosphaerella, 467
Mycosphaerella fijiensis
  spatial spread, 534
Mycosphaerella graminicola, 525
Mycosphaerella musicola
  spatial spread, 534
Mycoviruses, 115–16
Myzus persicae (Sulz.), 264

N

NAAS
  See National Agricultural Advisory Service

Nalidixic acid
pectin lyase production and, 214
NAPIAP
See National Agricultural Pesticide Impact Assessment Program
National Agricultural Advisory Service (NAAS), 31
National Agricultural Pesticide Impact Assessment Program (NAPIAP), 551
National Environmental Policy Act (NEPA), 549
Necroviruses, 341
Nectandra, 11
Nectria, 76
Nectria coccinea var. *coccinea*, 81, 83
Nectria coccinea var. *faginata*
beech bark disease and, 80–81
Nectria Fries, 75
Nectria galligena
beech bark disease and, 81–82
Nectria haematococca, 423
cutinase-deficient mutants, 467–68
phytoalexin detoxification, 470–71
Nectria haematococca MP VI
cutinase, 466–67
Neisseria
Out proteins, 185
Nematodes, 27–33
See also Root-parasitic nematodes
Nematogonum ferrugineum, 83
NEPA
See National Environmental Policy Act
Nepoviruses, 340
seed transmission, 365, 377
Netherlands
Multi-Year Crop Protection Plan, 561
Neurospora crassa
Eas protein, 425
hydrophobin genes, 426–27
hyphal extension, 418
Nicotiana benthamiana, 343, 379, 406
Nicotiana clevelandii, 313, 406
Nicotiana glauca, 168
Nicotiana tabacum, 208, 313, 404
Nitrogen fixation
in *Rhizobium*
regulatory signals, 216
p-Nitrophenol
Dutch elm disease and, 5
Nitrous acid
tobacco mosaic virus and, 43
Nopaline agrobacteria, 157
Nopaline Ti plasmid pTiC58
virulence regions, 159–61
Nordihydroguaiaretic acid, 444
Nucleic acids
systemic acquired resistance and, 451
Nucleotidyl transferase
brome mosaic virus RNA and, 303
plant viral RNAs and, 289
Nursery crops
fungicide use needs, 551
Nut crops
fungicide use needs, 551

O

Ocotea, 11
Octopine
Ti plasmid and, 158
Octopine agrobacteria, 157
Octopine Ti plasmid pTi15955
virulence regions, 159–61
Odontoglossum ringspot virus (ORSV), 404
OECD
See Organization for Economic Cooperation and Development
Oomycete, 443
Oospores, 13
Ophiostoma ulmi, 4
cerato-ulmin, 429
double-stranded RNAs, 116, 122
Opine catabolism genes, 158
Opines
crown gall tumors and, 157
Opine synthases
opine biosynthesis and, 157
Organization for Economic Cooperation and Development (OECD), 563
ORSV
See Odontoglossum ringspot virus
Out proteins, 185, 186–88, 222–23
Oxalate
systemic acquired resistance and, 451
Oxidative burst
plant defense response and, 484–86

P

Papaya
wound pathogen, 467
PAR
See Photosynthetically active radiation
Paracrinkle disease, 42
Paraphlepsius irroratus, 56
Parasitism
adenophorean, 235–36
secernentean, 236
Parthenocissus quinquefolia
ash yellows and, 55
Pathogenesis-related proteins, 442
PCNB, 569
PCR
See Polymerase chain reaction
Pea early browning virus (PEBV), 339–40
Pea enation mosaic virus (PEMV), 340–41
Peanut mottle virus (PMV)
seed transmission, 366
Peanut rust, 507
Peanut stripe virus
seed transmission, 366
Pearl millet
systemic acquired resistance, 442
Pea seedborne mosaic potyvirus (PSbMV)
host resistance, 371
pollen transmission, 367
seed transmission, 364–65
PEBV
See Pea early browning virus
Pectate
degradation products, 217
Pectate lyase, 183, 202–3
Pectinases, 206–9
Discula destructiva and, 64
periplasmic form, 185
plant cell wall and, 202
plant-tissue maceration and, 202
secretion in *Erwinia*, 183–90
Pectin lyase
activation by DNA-damaging agents, 214
Pectin methyl esterase, 203
Pectinolysis
in *Erwinia chrysanthemi*, 217–19
PEMV
See Pea enation mosaic virus
Penicillium spinulosum
cutinase activity, 466
Periwinkle
ash yellow mycoplasmalike organisms and, 50
Peronospora farinosa, 507
Peronospora tabacina, 507
systemic acquired resistance and, 440, 443–44, 448
Peroxidases
INA and, 448
plant defense responses to nematodes and, 246
systemic acquired resistance and, 444

Persea, 7–11
Persea americana, 7
Pertussis toxin
  secretion, 194
Pesticides
  cancer risk and, 552
  decreased availability in United States, 545–55
  restriction in Europe, 559–76
  systemic acquired resistance and, 446–47
Phaseolus
  seed transmission of tobacco streak ilarvirus, 371
Phaseolus mungo, 374
Phaseolus vulgaris
  pollen transmission of tobacco streak ilarvirus, 375
  seed transmission of cucumber mosaic virus, 372, 377
Phellinus noxius, 535
Phenylalanine ammonia-lyase
  INA and, 448
Phenylpirroles, 566
Philaenus spumarius, 56
Phloem
  viral entry and exit, 402–3
Phloem sap
  protein trafficking and, 397
Phoebe, 11
Phosphate
  systemic acquired resistance and, 451
6-Phosphogluconate dehydrogenase (6-PGD)
  INA and, 448
Phospholipase C, 222
Phospholipases
  plant cell wall and, 202
Photosynthetically active radiation (PAR), 66
Phragmidium, 120
Phthalimides, 567
Phytoalexin, 211
  detoxification by *Nectaria haematococca*, 470–71
  fosethyl-Al and, 449
  plant defense responses to nematodes and, 246
  systemic acquired resistance and, 444
  vanadate and, 483
Phytodienoic acid
  tomato proteinase inhibitor genes and, 491
Phytolacca americana
  ribosome-inactivating proteins, 373
Phytopathogenic fungi
  double-stranded RNAs, 116–17
Phytophthora
  elicitin proteins, 482
Phytophthora cambivora (Petri) Buism, 582
Phytophthora capsici, 16
Phytophthora cinnamomi
  chemotaxis and, 7–8
  isolation from avocado roots, 7, 11
  origin, 11–14
  resistant rootstocks and, 8–11
Phytophthora citrophthora, 16
Phytophthora fragariae, 8
Phytophthora infestans, 483, 506, 541
  origin, 12–13
  systemic acquired resistance and, 442, 444, 451
  virulence
    double-stranded RNAs and, 116
Phytophthora megakarya, 15–16
Phytophthora megasperma f.sp. *glycinea*, 480–81
Phytophthora palmivora, 7, 15–16
Phytophthora parasitica, 443
Phytophthora root rot, 1, 6–11
Phytotoxins, 196
Picolinic acid, 449
Picornaviruses
  RNA-dependent RNA polymerases, 319
Pinus cembra, 4
Pinus monticola, 4
Pinus strobus, 3–4
Pisum sativum, 211, 367
Plant cells
  Vir proteins and, 168–69
Plant defense response
  activation, 479–96
  calcium/calmodulin and, 486–87
  cyclic AMP and, 488–89
  cytological changes and, 483
  defense gene signal transduction and, 492–96
  early events in elicitation, 483–91
  G-proteins and, 490–91
  hydrogen peroxide and, 484–86
  ion fluxes and, 483–84
  jasmonic acid and, 491–92
  oxidative burst and, 484–86
  polyphosphoinositides and, 489–90
  presentation and release of elicitors, 480–81
  protein phosphorylation/dephosphorylation and, 487–88
  recognition of elicitors, 481–82
  See also Hypersensitive response
Plant defense systems
  degradation by fungi, 470–72
  hypoxic stress and, 227
  nematodes and, 245–46
Plant disease clinics, 601–9
Plant disease foci, 503–18
  dispersive waves, 514–15
  mathematical models, 510–13
  traveling waves, 513–14
Plant nematodes, 29–30
Plant-pathogenic bacteria
  protein secretion pathways, 182
  virulence factor secretion, 181–97
Plant-pathogen interactions
  asexual reproduction and, 98–101
  coevolution and, 107–9
  DNA and, 93
  gene flow and, 104–6
  genetic drift and, 102–4
  genetic linkage and, 102
  genetic variation and, 93
  migration and, 104–6
  mutation and, 92
  population genetics, 89–109
  selection and, 94–98
Plant pathology
  analytic models, 527
  chaotic processes, 535
  crop processes, 539–41
  disease processes at organ level, 524–25
  encounter models, 525–26
  evolutionary processes, 536–39
  life-histories, 526
  measurement of dispersal functions, 534
  models with discrete space and time, 534–35
  Monte Carlo simulation, 529–30
  retrospective, 1–18
  spatial phenomena, 517
  spatial spread, 530–34
  stochastic processes, 523–41
  thresholds, 527–28
Plant toxins, 196
Plant viral RNA
  infectivity, 41
Plant viruses, 40–43
  chimeric, 379–81
  defective interfering RNAs, 344–45
  de novo recombination, 342–44
  evolution
    natural recombination and, 339–42
  localization in seed, 365–69
  plus-strand
    coding regions, 298–99
    5′ and intercistronic non-

translated regions, 294–96
subgenomic RNA synthesis, 297–98
3′ nontranslated region, 289–94
replication
cis-acting sequences and, 287–306
replication complex, 311–12
localization and isolation, 312–16
structure and functioning, 316–19
RNA-dependent RNA polymerases, 319–29
RNA recombination, 337–57
mechanisms, 345–55
RNA replication
proteins and, 299–303
RNA synthesis, 311–32
seed transmissibility
viral determinants, 377–81
seed transmission, 363–82
disease symptoms and, 374–76
environmental factors, 374
host resistance, 370–73
virus-host adaptation, 376–77
ultraviolet-irradiated
photoreactivation and, 42
Plasmodesmata
formation during leaf development, 389–93
primary, 390
secondary, 390–93
formation and structure, 391
as supramolecular structures, 388–89
transport of macromolecules and, 393–99
viral transport and, 387–407
PLRV
See Potato leafroll virus
Plum pox potyvirus (PPV)
seed transmission, 373
Plum pox virus (PPV), 340
PMV
See Peanut mottle virus
PODESS, 509
Poliovirus
monopartite genome, 320
plus-strand initiation, 304–5
RNA-dependent RNA polymerase, 319
Politics
pesticide availability and, 550
Polyacrylic acid
systemic acquired resistance and, 451
Polygalacturonase, 183, 202–3
Polygalacturonate
depolymerization, 203
Polymerase chain reaction (PCR)
ash yellows cluster and, 53
plant disease diagnosis and, 603
Rhizoctonia solani complex and, 145–46
root-parasitic nematodes and, 247–48
Polyphenoloxidases
INA and, 448
Polyphosphoinositides
plant defense response and, 489–90
Population biology
of *Rhizoctonia*, 145–49
Potato
systemic acquired resistance, 442
Potato blight, 23
Potato late blight, 13, 506
Potato leafroll virus (PLRV), 341
Potato tuber, 211
Potato Virus Research Station, 40
Potato virus X, 40–41
Potexviruses, 263
defective interfering RNAs, 345
Potyviruses, 263, 279, 340
helper component proteinases, 265
Powdery mildew, 24, 89, 451
PPV
See Plum pox virus
Pratylenchus
feeding behavior, 239
feeding sites and structures, 237
Prepilins, 187
Probabilistic modeling
plant pathology and, 523
Probenazole
systemic acquired resistance and, 450
Promoter analysis
root-parasitic nematodes and, 248–49
Propiconazole
dogwood anthracnose and, 68
Proteases
plant cell wall and, 202
secretion in *Erwinia chrysanthemi*, 182–83
Proteinase inhibitors
plant defense responses to nematodes and, 246
Proteinases
root-parasitic nematodes and, 250–51
Protein kinase inhibitors
oxidative burst and, 486
Protein kinases
plant defense response and, 487
Protein phosphorylation/dephosphorylation
plant defense response and, 487–88
Proton pump
root-parasitic nematodes and, 244–45
Protozoa
soil, 28
Prunus serotina, 539
Pryor, A, 115–31
PSbMV
See Pea seedborne mosaic potyvirus
Pseudomonas
extracellular enzyme production
regulatory signals, 216
Hrp system, 190–93
Out proteins, 185
systemic acquired resistance and, 452
Pseudomonas aeruginosa
alkaline protease secretion, 224–25
pilB gene
assembly of fimbriae and, 173
prepilins, 187
Xcp system, 222
Pseudomonas lachrymans, 441
Pseudomonas putida
salicylate hydroxylase gene, 445
Pseudomonas solanacearum
hrp genes, 191
virulence-factor secretion, 183
Pseudomonas syringae, 441
harpins, 226–27, 482
Pseudomonas syringae pv. *phaseolicola*
hrp genes, 191
Pseudomonas syringae pv. *syringae*
harpins, 192–93
hrp genes, 191
systemic acquired resistance and, 442, 444
Pseudomonas syringae pv. *tomato*
avrD gene, 196
hypersensitive response and, 481
Pseudopilins, 187, 222–23
Pseudorecombinants
seed transmission of plant viruses and, 377–78
Public education
pesticide use and, 573–74
Puccinia
double-stranded RNAs, 117–18, 120–23

virus-like particles, 117
Puccinia arachidis, 507
Puccinia coronata, 116
Puccinia graminis, 503
double-stranded RNAs, 120–22
Puccinia polysora, 119
Puccinia recondita, 24, 523
double-stranded RNAs, 120–23
Puccinia sorghi
double-stranded RNAs, 120–22
Puccinia striiformis
double-stranded RNAs, 120–22
Pullulanases, 222
secretion, 186
Pyricularia oryzae
pathotoxin, 449
probenazole and, 450
systemic acquired resistance and, 442, 444–45
Pyrrolnitrin, 566
Pythium, 8

R

Ragsdale NN, 545–55
Rainfall
Discula destructiva infection and, 66
Randomly amplified DNA polymorphism (RAPD)
Rhizoctonia solani complex and, 145–46
RAPD
See Randomly amplified DNA polymorphism
Raspberry bushy dwarf virus (RBDV), 270
Raspberry ringspot virus (RRSV)
seed transmission, 365
Ravenelia, 120
RBDV
See Raspberry bushy dwarf virus
RCNMV
See Red clover necrotic mosaic virus
RdRp
See RNA-dependent RNA polymerase
Reactive oxygen intermediates (ROIs)
plant defense response and, 484–86
Recombinant DNA technology
extracellular depolymerizing enzymes and, 202
plant pathology and, 473
Red clover
ash yellow mycoplasmalike organisms and, 50
systemic acquired resistance, 441
Red clover necrotic mosaic virus (RCNMV), 341
coat protein, 406
movement protein, 396, 399–401
Regulation
pesticide availability and, 550
Replicase
viral transport and, 406
Reproduction
See Asexual reproduction
Reproductive biology
of *Rhizoctonia*, 145–47
Restriction fragment length polymorphism (RFLP)
ash yellows cluster and, 53
Erysiphe graminis f.sp. *hordei* and, 93
Rhizoctonia solani complex and, 141–43
Retroviruses, 340
RFLP
See Restriction fragment length polymorphism
Rhabdoviruses
defective interfering RNAs, 345
Rhamnus infectorius, 23
Rheynoutria sachalinensis
systemic acquired resistance and, 451
Rhizobacteria
systemic acquired resistance and, 452
Rhizobium
nitrogen fixation regulatory signals, 216
Rhizoctonia, 135–50, 443
anastomosis groups, 136–39
binucleate, 143–44
extrachromosomal elements and hypovirulence, 148–49
genetic and population structure, 147–48
molecular systematics, 139–45
phylogenetic relationships, 144–45
population biology, 145–49
reproductive biology and life history, 145–47
Rhizoctonia solani, 481, 569
virulence
double-stranded RNAs and, 116
Rhizoctonia solani complex, 140–43
Ribes, 3–4
Ribonuclease
virus infection/replication and, 42
Ribonucleoproteins, 41
Rice
phloem sap
protein trafficking and, 397
systemic acquired resistance, 442, 444
Rice blast disease, 442, 444
causal agent, 464–65
isonicotinic acid derivatives and, 449
Rigidoporus lignosus, 535
Rigling, D, 581–94
RNA
plant viral
infectivity, 41
See also Double-stranded RNA
RNA-dependent RNA polymerase (RdRp)
double-stranded RNA and, 128
viral RNA synthesis and, 319–29
RNA polymerase
RNA-dependent
double-stranded RNA and, 128
viral RNA synthesis and, 319–29
VirG protein and, 163
RNA recombination
in plant viruses, 337–57
RNA viruses
defective interfering RNAs, 344–45
de novo recombination, 342–44
double-stranded, 115
cellular location, 123
hypovirulence-associated, 269
-1 frameshifting, 268–69
genome size, 277–79
plus-strand
replication, 289–99, 303–5
positive-strand, 261–62, 270
recombination, 337–57
viral coat protein gene, 128
Rockefeller Foundation, 16–18
Rockefeller Institute for Medical Research, 41
ROIs
See Reactive oxygen intermediates
Root-parasitic nematodes, 235–54
anti-nematode genes and, 250–51
anti-nematode monoclonal antibodies and, 251
attenuation of feeding cell development, 251–53
classification, 236–40
defense strategies and, 249–53
feeding sites and structures, 237
gene expression analysis and, 247–48

host responses to feeding, 242–46
plant defense-related responses and, 245–46
plant solute transport and, 244–45
promoter analysis and, 248–49
regulation of gene activity in feeding structures, 246–49
secretions, 240–42
Root rot of rubber, 535
Root tip gall, 238
Rothamsted Experimental Station, 39, 43–45
Rotylenchulus macrodoratus
single uninucleate giant cell, 243
Rotylenchylus reniformis
feeding sites and structures, 237
Royal Horticultural Society, 31
RRSV
See Raspberry ringspot virus
Rubber root rot, 535
Rubella virus, 305
Rust fungi
double-stranded RNAs, 115–31
Ryals, J, 439–52

S

SA
See Salicylic acid
Saccharomyces cerevisiae, 169
brome mosaic virus RNA replication and, 302
budding
actin polarization and, 418
cell wall, 415
chitin synthesis, 417
killer-toxin-resistant mutants, 416
mechanosensitive ion channels, 418
secreted toxins
double-stranded RNAs and, 116–17
Saccharomyces cerevisiae virus (ScV-L), 115
Safe Drinking Water Act, 549
Saintpaulia ionantha, 210–11
Salicylic acid (SA)
systemic acquired resistance and, 445–46, 447
Salmond GPC, 181–97
Salmonella
Hrp proteins and, 191
Salmonella typhimurium, 201
Saprolegnia ferax, 418–20
SAR
See Systemic acquired resistance
Satellite virus, 42
Satellitism, 42
SBMV
See Southern bean mosaic sobemovirus
Schäfer, W, 461–75
Schizophyllum commune, 420–21
cell wall, 415
hydrophobins, 423–27
Scolytus multistriatus, 4
Scutellonema brachyurus
feeding behavior, 238
Secernentean parasites, 236
Sedentary ectoparasites
feeding behavior, 238
feeding sites and structures, 237
Sedentary endoparasites
feeding behavior, 239–40
feeding sites and structures, 237
host responses, 242–44
Seed transmissibility
viral determinants, 377–81
Seed transmission, 363–82
disease symptoms and, 374–76
environmental factors, 374
host resistance, 370–73
virus-host adaptation, 376–77
Selection
plant-pathogen interactions and, 94–98
Semliki Forest virus, 313
Septoria passerini, 528
Shading
dogwood anthracnose and, 67
Shaw MW, 523–41
Shigella
Hrp proteins and, 191
Sigatoka disease, 534
Signal transduction
plant defense response and, 492–96
Sijmons PC, 235–54
Silicon
systemic acquired resistance and, 451
Simon AE, 337–57
Sinapinic acid
virulence genes and, 161
Sinapyl alcohol
virulence genes and, 161
Sinclair WA, 49–58
Sindbis virus, 305, 313
RNA recombinants, 338
Sisler HD, 545–55
SLRSV
See Strawberry latent ring spot virus
SMV
See Soybean mosaic virus
Sobemoviruses, 340
Soil protozoa, 28
Solanum andigena, 246
Solanum vernei, 246
Solidago
ash yellows and, 55
Sooty molds, 22
Southern bean mosaic sobemovirus (SBMV)
seed transmission, 366
Soybean
defense response, 487–88
syringolides and, 196
systemic acquired resistance, 442
Soybean mosaic potyvirus (SMV)
host resistance, 371
seed transmission, 366
Spinach latent ilarvirus (SpLV), 375
Spiroplasma citri, 55
SpLV
See Spinach latent ilarvirus
Spores
germination
plant disease and, 524–25
migration
plant-pathogen interactions and, 104–5
SqMV
See Squash mosaic comovirus
Squash mosaic comovirus (SqMV), 376
STARIMA, 534
Staub, T, 439–52
Staurosporine
oxidative burst and, 487
Stellaria media, 377
Stem nematode, 29–30
Sterol
synthesis, 248
Stochastic differential equations, 529
Stochasticity
deterministic, 535
Stochastic models, 523–41
analytic, 527
population processes, 527–30
Strawberry latent ring spot virus (SLRSV)
seed transmission, 366
Stress response
in *Erwinia carotovora*, 214–15
Stripe canker, 7
Succinamopine agrobacteria, 157
Sugar beet, 44
Sunlight
dogwood anthracnose and, 65–66
Superoxide dismutase
systemic acquired resistance and, 444
Sweden
pesticide regulation, 561
Sweet potato disease-associated closterovirus, 268

Symplasm, 389
Syncytia
of sedentary endoparasites, 243–44
Syringa
decline-type disease, 50
Syringolides, 196
Syringomycin, 196
Systemic acquired resistance (SAR), 439–52
chemically induced, 446–51
mechanisms
dicots, 442–44
monocots, 444–45
microbe-induced, 451–52
pathogen-induced, 440–46
systemic signaling and, 445–46
Systemin, 451

T

TBRV
See Tomato black ring virus
TCV
See Turnip crinkle virus
T-DNA, 157
T-DNA targeting
in *Agrobacterium tumefaciens*, 193–94
T-DNA transfer, 163–68
Tebuconazole
dogwood anthracnose and, 68
Tetramethylthiuram disulfide (TMTD)
fungistatic activity, 6
TEV
See Tobacco etch potyvirus
Texas Plant Disease Diagnostic Laboratory, 602
Thanatephorus, 136
mating interactions, 146
Thaumatin
systemic acquired resistance and, 442
Theobroma cacao, 7, 14
Thielaviopsis basicola, 441
Thiouracil
systemic acquired resistance and, 451
virus infection/replication and, 42
Tricyclazole
DHN-melanin biosynthesis and, 466
TMTD
See Tetramethylthiuram disulfide
TMV
See Tobacco mosaic virus
TNV
See Tobacco necrosis virus
Tobacco
pathogenesis-related proteins, 442
systemic acquired resistance, 440–41
systemic acquired resistance gene, 443
Tobacco blue mold, 440–41, 443, 507
Tobacco etch potyvirus (TEV), 403
Tobacco hornworm, 441
Tobacco mosaic virus (TMV), 40–41, 263
aminoacylatable RNA, 303
defective RNA replicons, 299
host resistance, 401–2
movement protein, 393–94, 399–401
nitrous acid and, 43
pseudoknot region, 292–93
seed transmission, 365–66
structures in infected cells, 313
systemic acquired resistance and, 440–41, 445
Tobacco necrosis virus (TNV), 41–42
systemic acquired resistance and, 441, 445
Tobacco rattle virus (TRV)
pollen transmission, 368
RNA2 molecules, 339–40
Tobacco ringspot nepovirus (TRSV)
pollen transmission, 368
seed transmission, 365
Tobacco streak ilarvirus
seed transmission, 366, 371
Tobamovirus, 41
Tomato
defense response, 488
fungal pathogen, 462
isoflavonoid pathway, 496
proteinase inhibitor genes, 491
systemic acquired resistance, 442
Tomato aspermy virus
replication complexes, 313
transmission, 374
Tomato black ring virus (TBRV)
seed transmission, 365
Tomato bushy stunt virus, 41
Tomato mosaic tobamovirus (ToMV)
host resistance, 401–2
Tomato ringspot virus (TomRSV), 341–42
Tomato spotted wilt virus
defective interfering RNAs, 345
Tombusviruses, 341
defective interfering RNAs, 345
TomRSV
See Tomato ringspot virus
ToMV
See Tomato mosaic tobamovirus
Topographic factors
dogwood anthracnose and, 65–67
Totiviridae, 115
Toxoptera citricidus (Kirk), 264
Transcription factors
plant defense response and, 492–94
Triadimenol (DMI), 93
Triazoles
systemic acquired resistance and, 449
Trichinella spiralis, 249
Trichoderma reesei, 430
Trichodorus
feeding behavior, 236–37
feeding sites and structures, 237
Trichothecin
virus infection/replication and, 42
Trifolium pratense, 50
Triforine
dogwood anthracnose and, 68
N-Trimethyl-L
systemic acquired resistance and, 451
Trophotylenchulus obscurus
feeding sites and structures, 237, 242
Tropical maize rust, 119
TRSV
See Tobacco ringspot nepovirus
TRV
See Tobacco rattle virus
Tumor-inducing (Ti) plasmid, 157
functions determined, 158–61
Turf
fungicide use needs, 551
Turgor
fungal cell wall and, 420–21
Turnip crinkle virus (TCV), 341
RNA recombination mechanisms, 351–55
systemic acquired resistance and, 441
Turnip yellow mosaic virus (TYMV)
genomic RNA replication, 291
mutations debilitating replication, 303
structures in infected cells, 313
Tylenchorhynchus dubius
feeding behavior, 236
feeding sites and structures, 237

Tylenchulus semipenetrans
feeding sites and structures, 237, 242
Tylenchus, 29
Tymoviruses
protease gene, 339
TYMV
See Turnip yellow mosaic virus

U

Uknes, S, 439–52
Ulmus ulmi, 5
Ultraviolet light
pectin lyase production and, 214
UNDP
See United Nations Development Bank
United Nations Development Bank (UNDP), 18
United Nations Food and Agriculture Organization (FAO), 18, 563
United States Department of Agriculture (USDA), 548, 551
United States Department of Interior (USDI), 549
Urea
viral infectivity and, 42
Urediospores, 22, 126
Uromyces, 120
Uromyces appendiculatus
mechanosensitive ion channels, 418
Uromyces phaseoli
virus-like particles, 117
Uromyces viciae-fabae
attachment to plant surface, 463
USDA
See United States Department of Agriculture
USDI
See United States Department of Interior
Ustilago maydis
secreted toxins
double-stranded RNAs and, 116–17

V

Vanadate
lignin synthesis and, 483–84
phytoalexin accumulation and, 483
Van den Bosch, F, 503–18
Van Gijsegem, F, 201–27
Vegetable crops
fungicide use needs, 551
Velvet ash
mycoplasmalike-organism infection and, 52–53
Velvet tobacco mottle virus (VTMV)
RNA synthesis, 312
Verticillium dahliae, 485
Verutus volvingentis
feeding sites and structures, 237
Vibrio
Out proteins, 185
Vibrio fischeri, 158, 215
Vilgalys, R, 135–50
Viral transport
coat protein and, 404–6
plasmodesmata and, 387–407
replicase and, 406
Viral transport proteins
molecular analysis, 399–402
plasmodesmal transport, 393–95
Vir proteins
activity in plant cells, 168–69
Virulence factors
secretion by plant pathogenic bacteria, 181–97
Virulence genes
pathogenicity, 474
regulation, 161–63
Virus infection
stochastic models, 525
Virus-like particles (VLPs)
in rusts, 117
Vitronectin
Agrobacterium binding to plant cells and, 164
VLPs
See Virus-like particles
VTMV
See Velvet tobacco mottle virus

W

Waitea, 136
Ward E, 439–52
Ward HM, 21–25
Wardina, 25
Wardomyces, 25
Wardomycopsis, 25
Watermelon
systemic acquired resistance, 441
Wessels JGH, 413–30
Western flowering dogwood, 61
Western white pine, 4
Wheat
phloem sap
protein trafficking and, 397
systemic acquired resistance, 442
Wheat mildew pathogen
linkage equilibrium and, 99
Wheat rust, 120, 506
Wheat take-all, 115
White ash
ash yellow syndrome and, 50–52
White ash decline
ash yellows and, 56–57
Whiteflies
closterovirus transmission and, 264
White pine blister rust (WPBR), 1, 3–4
Witches'-brooms, 50
Wolfe MS, 89–109
World Bank, 18
WPBR
See White pine blister rust
Wyss, U, 235–54

X

Xanthomonas
Hrp system, 190–93
Out proteins, 185
Xanthomonas campestris
virulence-factor secretion, 183
Xanthomonas campestris pv. *vesicatoria*
hrp genes, 191
hypersensitive response and, 481
Xanthomonas oryzae
probenazole and, 450
Xiphinema diversicaudatum
feeding behavior, 237
Xiphinema index
feeding behavior, 237
feeding sites and structures, 237
X-ray crystallography
PelC and, 206
Xylanases
plant cell wall and, 202
Xylem stream
root-parasitic nematodes and, 244–45
Xylococculus betulae (Perg.) Morrison, 84

Y

Yeast
Ty retrotransposons
+1 frameshift, 268
Yersinia, 206
Hrp proteins and, 191
Yersinia enterocolitica
proteinaceous virulence factors, 191
Yersinia pestis
proteinaceous virulence factors, 191

Z

Zadoks JC, 503–18
Zentmyer GA, 1–18
Zhang R, 115–31
Zoospores, 7–8, 23, 483
Zygomycetes
cell wall architecture, 415